

Pages 1 to 15

# CAPACITOR FILTERS, T-TYPE, ELECTROMAGNETIC

## INTERFERENCE SUPPRESSION, NON-HERMETICALLY

## SEALED, SURFACE MOUNT

## BASED ON TYPE SFCMS 35 TYPE T

ESCC Detail Specification No. 3008/035

Issue 1	July 2005



Document Custodian: European Space Agency - see https://escies.org



## LEGAL DISCLAIMER AND COPYRIGHT

European Space Agency, Copyright © 2005. All rights reserved.

The European Space Agency disclaims any liability or responsibility, to any person or entity, with respect to any loss or damage caused, or alleged to be caused, directly or indirectly by the use and application of this ESCC publication.

This publication, without the prior permission of the European Space Agency and provided that it is not used for a commercial purpose, may be:

- copied in whole, in any medium, without alteration or modification.
- copied in part, in any medium, provided that the ESCC document identification, comprising the ESCC symbol, document number and document issue, is removed.



**ISSUE 1** 

## DOCUMENTATION CHANGE NOTICE

(Refer to https://escies.org for ESCC DCR content)

DCR No.	CHANGE DESCRIPTION



**ISSUE 1** 

<u>1.</u>	GENERAL	<u>5</u>
1.1	Scope	5
1.2	Component Type Variants	5
1.3	Maximum Ratings	5
1.4	Parameter Derating Information	5
1.5	Physical Dimensions	5
1.6	Functional Diagram	5
<u>2.</u>	APPLICABLE DOCUMENTS	<u>5</u>
<u>3.</u>	TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS	<u>5</u>
<u>4.</u>	REQUIREMENTS	<u>7</u>
4.1	General	7
4.2	Deviations from Generic Specification	7
4.2.1	Deviations from Special In-process Controls	7
4.2.2	Deviations from Final Production Tests (Chart II)	7
4.2.3	Deviations from Burn-in and Electrical Measurements (Chart III)	7
4.2.4	Deviations from Qualification Tests (Chart IV)	8
4.2.5	Deviations from Lot Acceptance Tests (Chart V)	8
4.3	Mechanical Requirements	8
4.3.1	Dimension Check	8
4.3.2	Weight	8
4.3.3	Robustness of Terminations	8
4.3.4	Solderability	9
4.4	Materials and Finishes	9
4.4.1	Case	9
4.4.2	Lead Material and Finish	9
4.5	Marking	9
4.5.1	General	9
4.5.2	The ESCC Component Number	9
4.5.3	Traceability Information	9
4.6	Electrical Measurements	10
4.6.1	Electrical Measurements at Room Temperature	10
4.6.2	Electrical Measurements at High and Low Temperatures	10
4.6.3	Circuits for Electrical Measurements (Figure 4)	10
4.7	Burn-in Tests	10
4.7.1	Parameter Drift Values	10
4.7.2	Conditions for Burn-in	10
4.7.3	Electrical Circuit for Burn-in (Figure 5)	10
4.8	Environmental and Endurance Tests (Charts IV and V of ESCC Generic Specification	
	No. 3008)	12
4.8.1	Measurements and Inspections on Completion of Environmental Tests	12
4.8.2	Measurements and Inspections at Intermediate Points During Endurance Tests	12
4.8.3	Measurements and Inspections on Completion of Endurance Tests	12
4.8.4	Conditions for Operating Life	12
4.8.5	Electrical Circuit for Operating Life (Figure 5)	12



**ISSUE 1** 

## 1. <u>GENERAL</u>

## 1.1 <u>SCOPE</u> This specification details the ratings, physical and electrical characteristics, test and inspection data for a Capacitor Filter, T-Type, Electromagnetic Interference Suppression, Non-hermetically Sealed, Surface Mount, based on type SFCMS 35 Type T. It shall be read in conjunction with ESCC Generic Specification No. 3008, the requirements of which are supplemented herein.

- 1.2 <u>COMPONENT TYPE VARIANTS</u> Not applicable, see Para. 4.5.2.
- 1.3 <u>MAXIMUM RATINGS</u> The maximum ratings, which shall not be exceeded at any time during use or storage, applicable to the components specified herein, are as scheduled in Table 1(b).
- 1.4 <u>PARAMETER DERATING INFORMATION</u> Not applicable.
- 1.5 <u>PHYSICAL DIMENSIONS</u> The physical dimensions of the components specified herein are shown in Figure 2.
- 1.6FUNCTIONAL DIAGRAMThe functional diagram of the components specified herein is shown in Figure 3.

### 2. <u>APPLICABLE DOCUMENTS</u>

The following documents form part of this specification and shall be read in conjunction with it:

- (a) ESCC Generic Specification No. 3008 for Capacitors and Capacitor Filters, Feedthrough.
- (b) MIL-STD-202, Test Methods for Electronic and Electrical Component Parts.

3. TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS

For the purpose of this specification, the terms, definitions, abbreviations, symbols and units specified in ESCC Basic Specification No. 21300 shall apply.

### Table 1(a) - Type Variants

Not applicable.



**ISSUE 1** 

1Rated DC Voltage $U_R$ 50VNote 12Voltage Drop $V_{dr}$ 200mV13DC Resistance $R_S$ 2m $\Omega$ 14DC and Low Frequency Current $I_R$ 10A5Operating Temperature Range $T_{op}$ -55 to +125°C $T_{amb}$ 6Storage Temperature Range $T_{stg}$ -55 to +125°C1		Table 1(b) - MAXIMUM RATINGS										
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	No.	Characteristics	Symbol	Maximum Ratings	Unit	Remarks						
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	1	Rated DC Voltage	U <sub>R</sub>	50	V	Note 1						
4     DC and Low Frequency Current     IR     10     A       5     Operating Temperature Range     T <sub>op</sub> -55 to +125     °C     T <sub>amb</sub> 6     Storage Temperature Range     T <sub>stg</sub> -55 to +125     °C     T	2	Voltage Drop	V <sub>dr</sub>	200	mV							
5Operating Temperature RangeTop-55 to +125°CTamb6Storage Temperature RangeTstg-55 to +125°C	3	3 DC Resistance		2	mΩ							
6     Storage Temperature Range     T <sub>stg</sub> -55 to +125     °C	4	4 DC and Low Frequency Current		10	А							
	5	Operating Temperature Range	Т <sub>ор</sub>	-55 to +125	°C	T <sub>amb</sub>						
7Soldering TemperatureT+260°CNote 2	6	Storage Temperature Range	T <sub>stg</sub>	-55 to +125	°C							
	7	Soldering Temperature	T <sub>sol</sub>	+260	°C	Note 2						

## Table 1(b) - MAXIMUM RATINGS

### NOTES:

1. The addition of DC applied voltage and ripple voltage shall never exceed the rated DC voltage.

2. Duration 6 seconds maximum and the same termination, or the case, shall not be resoldered until 3 minutes have elapsed.

#### FIGURE 1- PARAMETER DERATING INFORMATION

Not applicable.

### FIGURE 2 - PHYSICAL DIMENSIONS



Symbol	Dimensio	Remarks	
	Min	Max	
A	1.9	2.6	
В	0.7	0.9	
С	3.5	3.6	Note 1
ØD	3.5	3.6	Note 2
L	11.3	12.7	
М	7.4	7.6	

NOTES:

1. This dimension applies to the square-section case (Ground), over dimension M. One of the four



faces shall bear marking in accordance with Para. 4.5.

2. This dimension (diameter) applies to both the tab termination and the insulation.

## FIGURE 3 - FUNCTIONAL DIAGRAM



## 4. <u>REQUIREMENTS</u>

#### 4.1 <u>GENERAL</u>

The complete requirements for procurement of the components specified herein are stated in this specification and ESCC Generic Specification No. 3008 for Capacitors and Capacitor Filters, Feedthrough. Deviations from the Generic Specification, applicable to this specification only, are detailed in Para. 4.2.

Deviations from the applicable Generic Specification and this Detail Specification, formally agreed with specific Manufacturers on the basis that the alternative requirements are equivalent to the ESCC requirements and do not affect the components' reliability, are listed in the appendices attached to this specification.

### 4.2 DEVIATIONS FROM GENERIC SPECIFICATION

- 4.2.1 <u>Deviations from Special In-process Controls</u> None.
- 4.2.2 Deviations from Final Production Tests (Chart II)
  - (a) Para. 9.4.1.5, Voltage Drop: Shall be performed as a DC resistance measurement in accordance with MIL-STD-202, Method 303.
  - (b) Para. 9.2, Rapid Change of Temperature: The Components may not be mounted.
  - (c) Para. 9.3, Vibration: Not applicable.

### 4.2.3 Deviations from Burn-in and Electrical Measurements (Chart III)

- (a) Para. 9.4.1.5, Voltage Drop: Shall be performed as a DC resistance measurement in accordance with MIL-STD-202, Method 303.
- (b) Paras. 9.4.3, Electrical Measurements at High and Low Temperature and 9.4.4, Electrical Measurements at Room Temperature: Insertion Loss is considered as destructive and the parts so tested cannot be delivered as flight models. Therefore, these tests shall be performed at the end of Chart III and parts rejected during External Visual Inspection or Radiographic Inspection, but electrically acceptable after Burn-in, may be used.



**ISSUE 1** 

#### 4.2.4 Deviations from Qualification Tests (Chart IV)

- (a) Para. 9.4.1.5, Voltage Drop: Shall be performed as a DC resistance measurement in accordance with MIL-STD-202, Method 303.
- (b) Para. 9.12, Accelerated Damp Heat: Voltage Proof and Insertion Loss shall not be performed.
- (c) Para. 9.14, Robustness of Terminations: Only test Ua is applicable.
- (d) Para. 9.15, Immersion: Not applicable.
- (e) Para. 9.17, Resistance to Soldering Heat: May be performed prior to Para. 9.11, Vibration. Capacitance is performed in lieu of Insertion Loss at Final Measurements.
- (f) Para. 9.18, Solderability: May be performed prior to Para. 9.10, Shock.
- (g) Para. 9.19, Operating Life (Intermediate and End Data Points): Insertion Loss shall not be performed.

#### 4.2.5 Deviations from Lot Acceptance Tests (Chart V)

- (a) Para. 9.4.1.5, Voltage Drop: Shall be performed as a DC resistance measurement in accordance with MIL-STD-202, Method 303.
- (b) Para. 9.14, Robustness of Terminations: Only test Ua is applicable.
- (c) Para. 9.15, Immersion: Not applicable.
- (d) Para. 9.18, Solderability: May be performed prior to Para. 9.10, Shock.
- (e) Para. 9.19, Operating Life (Intermediate and End Data Points): Insertion Loss shall not be performed.

#### 4.3 <u>MECHANICAL REQUIREMENTS</u>

#### 4.3.1 Dimension Check

The dimensions of the components specified herein shall be verified in accordance with the requirements set out in Para. 9.5 of ESCC Generic Specification No. 3008 and they shall conform to those shown in Figure 2 of this specification.

#### 4.3.2 <u>Weight</u>

The maximum weight of the components specified herein shall be 2 grammes.

#### 4.3.3 <u>Robustness of Terminations</u>

The requirements for the robustness of terminations tests are specified in Para. 9.14 of the Generic Specification and below.

#### Add to Para. 9.14.1 of the Generic Specification

For surface mount components, capacitors shall be mounted on a suitable substrate. After mounting, examination shall be made for good tinning as evidenced by flowing of the solder with wetting of the terminations.

Add to Para. 9.14.2 (for method Ua) of the Generic Specification

For surface mount components, a force of 10N shall be applied on the terminations normal to the length of the case and in a plane parallel to the substrate, duration = 10s.

#### Add to Para. 9.14.3 of the Generic Specification

For surface mount components, there shall be no evidence of damage or loosening of the components from the substrate.



**ISSUE 1** 

#### 4.3.4 <u>Solderability</u>

The requirements for solderability testing are specified in Para. 9.18 of the Generic Specification and below.

The test shall be carried out in accordance with IEC 68-2-20 standard with the following conditions:

- Test Ta, Method 1
- Temperature: +235±3°C
- Immersion time: 3±0.3 seconds

The terminations shall be immersed to their interface with the insulation (see Figure 2).

## 4.4 <u>MATERIALS AND FINISHES</u>

The materials and finishes shall be as specified herein. Where a definite material is not specified, a material which will enable the components specified herein to meet the performance requirements of this specification shall be used. Acceptance or approval of any constituent material does not guarantee acceptance of the finished product.

## 4.4.1 <u>Case</u> The case shall be silver plated brass.

### 4.4.2 Lead Material and Finish

The tab material shall be brass with tin-lead layer (lead>95%) with Nickel and Silver underplating.

4.5 <u>MARKING</u>

#### 4.5.1 <u>General</u>

The marking of components delivered to this specification shall be in accordance with the requirements of ESCC Basic Specification No. 21700 and the following paragraphs. When the component is too small to accommodate all of the marking specified, as much as space permits shall be marked and the marking information, in full, shall accompany the component in its primary package.

The information to be marked and the order of precedence, shall be as follows:

- (a) The ESCC Component Number.
- (b) Traceability Information

## 4.5.2 <u>The ESCC Component Number</u>

The ESCC Component Number shall be constituted and marked as follows:

#### 300803501B

- Detail Specification Reference: 3008035
- Component Type Variant Number: 01
- Testing Level (B or C, as applicable)

### 4.5.3 <u>Traceability Information</u>

Each component shall be marked in respect of traceability information in accordance with the



**ISSUE 1** 

requirements of ESCC Basic Specification No. 21700.

#### 4.6 ELECTRICAL MEASUREMENTS

- 4.6.1 <u>Electrical Measurements at Room Temperature</u> The parameters to be measured at room temperature are scheduled in Table 2. Unless otherwise specified, measurements shall be performed at T<sub>amb</sub>=+22±3°C.
- 4.6.2 <u>Electrical Measurements at High and Low Temperatures</u> The parameters to be measured at high and low temperatures are scheduled in Table 3. Measurements shall be performed at T<sub>amb</sub>+125(+0-5)°C and -55(+5-0)°C respectively.
- 4.6.3 <u>Circuits for Electrical Measurements (Figure 4)</u> Not applicable.
- 4.7 <u>BURN-IN TESTS</u>

#### 4.7.1 Parameter Drift Values

The parameter drift values applicable to Burn-in are as specified in Table 4 of this specification. Unless otherwise stated, measurements shall be performed at  $T_{amb}$ =+22±3°C. The parameter drift values ( $\Delta$ ) applicable to the parameters scheduled shall not be exceeded. In addition to these drift value requirements for a given parameter, the appropriate limit values specified in Table 2 shall not be exceeded.

4.7.2 <u>Conditions for Burn-in</u>

The requirements for Burn-in are specified in Section 7 of ESCC Generic Specification No. 3008. The conditions for Burn-in shall be as specified in Table 5(a) of this specification.

4.7.3 <u>Electrical Circuit for Burn-in (Figure 5)</u> Not applicable.

	Table 2 - ELECTRICAL MEASUREMENTS AT ROOM TEMPERATURE - DC PARAMETERS						
No.	Characteristics	Symbol	ESCC 3008	Test Conditions	Limits		Unit
			Test Method		Min	Max	

			l est Method		Min	Max	
1	DC Resistance	R <sub>S</sub>	MIL-STD-202 Method 303	-	-	2	mΩ
2	Voltage Proof	VP	Para. 9.4.1.2	-	125	-	V
3	Insulation Resistance	Ri	Para. 9.4.1.3	Para. 9.4.1.3	1000	-	MΩ

### Table 2 - ELECTRICAL MEASUREMENTS AT ROOM TEMPERATURE - AC PARAMETERS

No.	Characteristics	Symbol	ESCC 3008			nits	Unit
			Test Method		Min	Max	
4	Insertion Loss, Note 4	I <sub>L1</sub>	Para. 9.4.1.4	f=10MHz, Note 2	25	-	dB
5	Insertion Loss	I <sub>L2</sub>	Para. 9.4.1.4	f=50MHz, Note 1	39	-	dB
6	Insertion Loss, Note 4	I <sub>L3</sub>	Para. 9.4.1.4	f=100MHz, Note 2	45	-	dB
7	Insertion Loss	I <sub>L4</sub>	Para. 9.4.1.4	f=500MHz, Note 1	59	-	dB



**ISSUE 1** 

No.	Characteristics	Symbol	ESCC 3008	Test Conditions	Lin	nits	Unit
			Test Method		Min	Max	
8	Insertion Loss, Note 4	I <sub>L5</sub>	Para. 9.4.1.4	f=1GHz, Note 2	65	-	dB
9	Capacitance	С	Para. 9.4.1.1	f=1kHz±100Hz V=0.1 to 1.2Vrms	8	-	nF

## Table 3 - ELECTRICAL MEASUREMENTS AT HIGH AND LOW TEMPERATURES

No.	Characteristics	Symbol	ESCC 3008	Test Conditions	Limits		Unit
			Test Method		Min	Max	
3	Insulation Resistance Note 3	Ri	Para. 9.4.1.3	Para. 9.4.1.3 T <sub>amb</sub> =+125(+0 -5)°C	100	-	MΩ
4	Insertion Loss Note 4	I <sub>L1</sub>	Para. 9.4.1.4	f=10MHz, No current	25	-	dB
6	Insertion Loss Note 4	I <sub>L3</sub>	Para. 9.4.1.4	f=100MHz, No current	45	-	dB
8	Insertion Loss Note 4	I <sub>L5</sub>	Para. 9.4.1.4	f=1GHz, No current	65	-	dB

### NOTES TO TABLES 2 AND 3:

- 1. Measurements at this frequency to be made only during Chart IV testing.
- 2. Measurements at rated current to be made only during Chart IV testing. Measurements without load current to be made during Charts III and V. NB: not performed during Chart II testing.
- 3. This measurement must be carried out at the end of the Burn-in in accordance with Para. 9.23 of ESCC Generic Specification No. 3008 and shall not be carried out again.
- 4. Measurements at Room, High and Low Temperatures to be made on a sample of 5 parts per lot. If one or more failures occur then another 5 samples shall be tested. If one or more of the additional 5 samples fails then the lot shall be rejected. The samples shall be mounted on a suitable substrate prior to measurements. See also Para. 4.2.3.

### FIGURE 4 - CIRCUITS FOR ELECTRICAL MEASUREMENTS

Not applicable.

No

9

	TADIE 4 - I ANAMETER DRI I VALOEO										
э.	Characteristics	Symbol	Spec. and/or Test Method	Test Conditions	Change Limits (Δ)	Unit					
)	Capacitance Change	∆C/C	As per Table 2	As per Table 2	±10	%					

## Table 4 - PARAMETER DRIFT VALUES

	Table 5(a) - CONDITIONS FOR BURN-IN									
No.	. Characteristics Symbol Condition									
1	Ambient Temperature	T <sub>amb</sub>	+125(+0 -3)	°C						
2	Test Voltage	V <sub>T</sub>	100 Note 1	V						

## NOTES:

1. Applied between one tab and the case.



**ISSUE 1** 

No.	Characteristics	Symbol	Symbol Condition					
1	Ambient Temperature	T <sub>amb</sub>	+125(+0 -3)	°C				
2	Test Voltage	V <sub>T</sub>	100 Note 1	V				
3	Rated Current	I <sub>R</sub>	10	А				

## Table 5(b) - CONDITIONS FOR OPERATING LIFE

#### NOTES:

1. Applied between one tab and the case.

#### FIGURE 5 - ELECTRICAL CIRCUIT FOR BURN-IN AND OPERATING LIFE Not applicable.

#### 4.8 <u>ENVIRONMENTAL AND ENDURANCE TESTS (CHARTS IV AND V OF ESCC GENERIC</u> <u>SPECIFICATION NO. 3008)</u>

#### 4.8.1 Measurements and Inspections on Completion of Environmental Tests

The parameters to be measured and inspections to be performed on completion of environmental tests are scheduled in Table 6. Unless otherwise stated, the measurements shall be performed at  $T_{amb}$ =+22±3°C.

## 4.8.2 Measurements and Inspections at Intermediate Points During Endurance Tests

The parameters to be measured and inspections to be performed at intermediate points during endurance tests are scheduled in Table 6. Unless otherwise stated, the measurements shall be performed at  $T_{amb}$ =+22±3°C.

### 4.8.3 Measurements and Inspections on Completion of Endurance Tests

The parameters to be measured and inspections to be performed on completion of endurance tests are scheduled in Table 6. Unless otherwise stated, the measurements shall be performed at  $T_{amb}$ =+22±3°C.

#### 4.8.4 <u>Conditions for Operating Life</u>

The requirements for operating life test are specified in Section 9 of ESCC Generic Specification No. 3008. The conditions for operating life testing shall be as specified in Table 5(b) of this specification.

4.8.5 <u>Electrical Circuit for Operating Life (Figure 5)</u> Not applicable.

# Table 6 - MEASUREMENTS AND INSPECTIONS ON COMPLETION OF ENVIRONMENTAL TESTS AND AT INTERMEDIATE POINTS AND ON COMPLETION OF ENDURANCE TESTING

No. ESCC Generic Spec. No		008	Measurements and Inspections		Symbol	Limits		Unit
	Environmental and Endur- ance Tests (1)	Test Meth- ods and Conditions	Identification	Conditions		Min	Max	
01	Seal Test (Hermetically Sealed)	Para. 9.6	Not applicable					
02	External Visual Inspection	Para. 9.7	Final Measurements Visual Inspection	ESCC No. 20500	-	-	-	-
03	Temperature Rise	Para. 9.9	Temperature Rise	Rated Current (3)	-	-	25	°C



**ISSUE 1** 

ance Tests (1)         ods and Conditions         Measurements during. Tests         100% U <sub>R</sub> (2) applied No Open or Short Circuits >100µs         Image: Conditions         Image: Conditions </th <th>ax</th>	ax
Tests     No Open or Short Circuits >100µs       Einal Measurements     Visual Examination       Visual Examination     No Mechanical Damage     -       05     Vibration     Para. 9.11       Measurements during Uring last cycle     Current (7) and 100% UR (2) applied No Open or Short Circuits >100µs     -       05     Vibration     Para. 9.11     Measurements during Tests During last cycle     Current (7) and 100% UR (2) applied No Open or Short Circuits >100µs     -       06     Accelerated Damp Heat     Para. 9.12 and Para. 4.2.4 of this spec.     Final Measurements Visual Examination     No Mechanical Damage     -       06     Accelerated Damp Heat     Para. 9.12 and Para. 4.2.4 of this spec.     Final Measurements Visual Examination     After recovery of 4 to 24 hours     -       07     Low Air Pressure     Para. 9.13     Measurements during Tests Voltage Proof     during last 5 minutes Table 2 Item 2     VP     125% UR (2)       07     Low Air Pressure     Para. 9.13     Measurements during Tests     during last 5 minutes Table 2 Item 2     VP     125% UR (2)	- dB
Visual ExaminationNo Mechanical Damage05VibrationPara. 9.11Measurements during. Tests During last cycleCurrent (7) and 100% UR (2) applied No Open or Short Circuits >100µs06Accelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements Visual Examination Insertion LossNo Mechanical Damage06Accelerated Damp HeatPara. 9.13 and Para. 4.2.4 of this spec.Final Measurements Visual Examination Insulation ResistanceNo corrosion or obliteration of marking Table 2 Item 307Low Air PressurePara. 9.13 Air PressureMeasurements during Tests Visual Examinationduring last 5 minutes Table 2 Item 2VP125% UR (2)07Low Air PressurePara. 9.13 Visual ExaminationMeasurements during Tests Voltage Proofduring last 5 minutes Table 2 Item 2VP125% UR (2)	- dB
ImageDamageImageImage05VibrationPara. 9.11Measurements.during. Tests During last cycleCurrent (7) and 100% UR (2) applied No Open or Short Circuits >100µsImageImage06Accelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements Visual ExaminationNo Mechanical 	- dB
05VibrationPara. 9.11Measurements during Tests During last cycleCurrent (7) and 100% UR (2) applied No Open or Short Circuits >100µsLImage L06Accelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements Visual Examination Insertion LossNo Mechanical Damage Table 2 Items 4 to 806Accelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements Visual Examination Insulation ResistanceAfter recovery of 4 to 24 hoursTable 207Low Air PressurePara. 9.13Measurements during Tests Voltage ProofTable 2 Item 3Ri(5)07Low Air PressurePara. 9.13Measurements during Tests Voltage ProofTable 2 Item 2VP125% UR (2)07Low Air PressurePara. 9.13Measurements during Tests Voltage ProofTable 2 Item 2VP125% UR (2)	
Tests During last cycleUR (2) applied No Open or Short Circuits >100µsImageFinal MeasurementsVisual ExaminationNo Mechanical DamageNoAccelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements Final MeasurementsAfter recovery of 4 to 24 hoursTable 2NoAccelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements HeasurementsAfter recovery of 4 to 24 hours-NoAccelerated Damp HeatPara. 9.13Final Measurements and Para. 4.2.4 of this spec.After recovery of 4 to 24 hours-NoLow Air PressurePara. 9.13Measurements during Tests Voltage ProofTable 2 Item 3RiVisual ExaminationNo breakdown, flashover, deformation	 - dB
Image: constraint of the second sec	dB
DamageDamage06Accelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements 	dB
O6Accelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements and Para. 4.2.4 of this spec.After recovery of 4 to 24 hoursLLLL06Accelerated Damp HeatPara. 9.12 and Para. 4.2.4 of this spec.Final Measurements visual ExaminationAfter recovery of 4 to 24 hoursLLLLL07Low Air PressurePara. 9.13Measurements during TestsTable 2 Item 3Ri(5)07Low Air PressurePara. 9.13Measurements during Testsduring last 5 minutes Table 2 Item 2VP125% UR (2)07Visual ExaminationNo breakdown, flashover, deformation	- dB
and Para. 4.2.4 of this spec.A.2.4 of this spec.24 hoursAnother spec.Another spec.Visual ExaminationNo corrosion or obliteration of marking07Low Air PressurePara. 9.13Measurements during Testsduring last 5 minutesRi07Low Air PressurePara. 9.13Measurements during Testsduring last 5 minutes-07Low Air PressurePara. 9.13Measurements during Testsduring last 5 minutes-07Low Air PressurePara. 9.13Measurements during Tests07Voltage ProofTable 2 Item 2VP125% UR (2)07Visual ExaminationNo breakdown, flashover, deformation	
01       00 <td< td=""><td></td></td<>	
07     Low Air Pressure     Para. 9.13     Measurements during Tests     during last 5 minutes     VP     125% U <sub>R</sub> (2)       07     Low Air Pressure     Para. 9.13     Measurements during Tests     during last 5 minutes     VP     125% U <sub>R</sub> (2)       07     Visual Examination     No breakdown, flashover, deformation     -     -	-   -
Tests     during last 5 minutes       Voltage Proof     Table 2 Item 2     VP     125% U <sub>R</sub> (2)       Visual Examination     No breakdown, flashover, deformation     -     -	- MΩ
Visual Examination     No breakdown, flashover, deformation	
flashover, deformation	- V
or seepage	-   -
Final Measurements	
Visual Examination     No breakdown,     -     -       flashover, deformation     or seepage     -     -	-   -
08Robustness of Termina- tionsPara. 9.14 and Paras. 4.2.4, 4.2.5 and 4.3.3 of this spec.Final Measurements	
Visual Examination No damage	-   -
DC Resistance Table 2 Item 1 R <sub>S</sub> - Ta	ole 2 mΩ
09ImmersionPara. 9.15 and Paras. 4.2.4 and 4.2.5 of this spec.Not applicable	
10     Overload     Para. 9.16     140% of Rated Current (3) for 15 mins min.	
Final Measurements	



**ISSUE 1** 

No.	ESCC Generic Spec. No. 3008		Measurements and Inspections		Symbol	Limits		Unit
	Environmental and Endur- ance Tests (1)	Test Meth- ods and Conditions	Identification	Conditions		Min	Max	-
			Insulation Resistance	Table 2 Item 3	Ri	Table 2	-	MΩ
			DC Resistance	Table 2 Item 1	R <sub>S</sub>	-	Table 2	mΩ
			Visual Examination	No damage	-	-	-	-
11	Resistance to Soldering Heat	Para. 9.17 and Para. 4.2.4(b) of this spec.	Final Measurements	After recovery of 1 to 2 hrs				
			Visual Examination	No damage	-	-	-	-
			Insulation Resistance	Table 2 Item 3	Ri	Table 2	-	MΩ
			Capacitance	Table 2 Item 9	С	Table 2	-	pF
12	Solderability	Para. 9.18 and Para. 4.3.4 of this spec	Final Measurements					
			Visual Examination	IEC No. 68-2-20 Para. 4.6.4, 4.7.4 or 4.9.3	-	-	-	-
13	Operating Life	Para. 9.19 and Paras. 4.2.4 and 4.2.5 of this spec.	During tests	Open or short Circuit		-	-	
			Initial Measurements					
			Voltage Drop	ESCC 3008, Para. 9.4.1.5	V <sub>dr</sub>	-	(6)	V
			Voltage Proof	Table 2, Item 2	VP	90% U <sub>R</sub> (2)	-	V
			Insulation Resistance	Table 2, Item 3	Ri	Table 2	-	MΩ
			Capacitance	Table 2, Item 9	С	Table 2	-	pF
			Intermediate Measurements					
			Insulation Resistance	Table 3, Item 3	Ri	Table 3	-	MΩ
				After 24 hours recovery				
			Voltage Drop	ESCC 3008, Para. 9.4.1.5	V <sub>dr</sub>	-	(6)	V
			Voltage Proof	Table 2, Item 2	VP	90% U <sub>R</sub> (2)	-	V
			Insulation Resistance	Table 2, Item 3	Ri	(4)	-	MΩ
			Capacitance	Table 2, Item 9	С	Table 2	-	pF
			Capacitance Change	Table 2, Item 9	∆C/C	-	Table 4	%
			Final Measurements					
			Insulation Resistance	Table 3, Item 3	Ri	Table 3	-	MΩ
				After 24 hours recovery				



No.	ESCC Generic Spec. No. 3008		Measurements and Inspections		Symbol	Limits		Unit
	Environmental and Endur- ance Tests (1)	Test Meth- ods and Conditions	Identification	Conditions		Min	Max	
			Voltage Drop	ESCC 3008, Para. 9.4.1.5	V <sub>dr</sub>	-	(6)	V
			Voltage Proof	Table 2, Item 2	VP	90% U <sub>R</sub> (2)	-	V
			Insulation Resistance	Table 2, Item 3	Ri	(4)	-	MΩ
			Capacitance	Table 2, Item 9	С	Table 2	-	pF
			Capacitance Change	Table 2, Item 9	∆C/C	-	Table 4	%
14	Corrosion	Para. 9.20	Final Measurements					
			Visual Examination	No corrosion, damage or obliteration of marking	-	-	-	-
15	Permanence of Marking	Para. 9.21	Final Measurements					
			Visual Examination	No corrosion or obliteration of marking	-	-	-	-
16	Damp Heat (Non-hermetically Sealed)	Para. 9.24	Final Measurements	After 4 hours recovery				
			Visual Examination	No cracking or encapsulant separation	-	-	-	-
			Insulation Resistance	Under 1.5V	Ri	(5)	-	MΩ

### NOTES:

- 1. The tests in this Table refer to either Chart IV or V and shall be used as applicable.
- 2. For U<sub>R</sub>, see Table 1(b).
- 3. For  $I_R$ , see Table 1(b).
- 4. Greater than 50% of the value given in Table 2.
- 5. Greater than 10% of the value given in Table 2.
- 6. For Voltage Drop limit, see Table 1(b).
- 7. The minimum current required for monitoring purposes shall be applied (see Para. 9.11.3 of ESCC Generic Specification No. 3008).