



Type: M19500/773-01  
DLA Group A subgroup 4

OPERATOR: RC 202566  
CLIENT: \_\_\_\_\_  
LOT ID 33312004ZS  
DATE 15/07/2015  
TEMPS PASSE: 8hrs

116 pièces bonnes

NO.	NPN			PNP		
	Cobo	t on	t off	Cobo	t on	t off
LIMITS	x < 45	< 175	< 2500	x < 60	< 150	< 1000
UNIT	pF	ns	ns	pF	ns	ns
1	31.4	64.8	948.2	47.8	62.2	453.3
2	31.5	64.8	941.1	49.5	62.2	442
3	31.5	64.8	937.5	48.6	61.9	445.1
4	31	65.1	957.6	48.1	62.3	461.6
5	31.4	64.7	949.3	50.2	62.1	434.6
6	31.2	65.1	950.4	48	62.2	460.8
7	31.8	64.7	937.5	49.7	62.2	442.1
8	31.2	64.9	955.4	49.2	62.1	444.4
9	31.2	64.9	953.7	49.4	62	437.8
10	31.1	65	951.8	49.3	62.1	438.8
11	31.7	64.9	939.1	48.9	61.8	439.2
12	31.6	64.9	946	49.5	62	438.8
13	32	64.5	942.6	48.1	62.6	452
14	31.1	65.4	950.2	48.2	62.1	455.3
15	31.2	64.7	956.6	48.2	62.5	463.2
16	30.7	65.2	971.1	47.2	62.2	453.2
17	31.6	64.6	945.1	48.5	62.1	445
18	30.8	65.3	955.2	50.2	62.1	432.9
19	31.9	64.5	941.6	47.9	62.2	453.7
20	31.1	65	954.9	48.6	62.3	439.7
21	31.1	65.7	948.1	49	62.4	440
22	-	-	-	-	-	-
23	31.6	64.5	948	47.2	62.3	451.9
24	31.2	64.8	950.1	47.9	62.3	455.2
25	31	64.8	952.5	48	62.1	451.5
26	31.2	64.8	952.1	47.3	61.8	449.4
27	31.1	64.9	954.1	48.1	62.1	453.7
28	31.1	64.9	954.6	48.1	62.1	448.2
29	31.3	65.2	948.4	47.8	62.4	455.5
30	31.7	64.9	941	47.6	62.6	443.1
31	31.4	64.9	947.1	48	61.9	448.7
32	31.2	64.8	957.2	49.6	62.1	437.7
33	31.8	64.8	937.6	47.7	62.8	449.9
34	31.2	64.8	957.8	47.1	62.1	451.9
35	31.3	64.7	951.2	48.1	62.4	454
36	31.1	65.2	952.5	47	61.9	451.8
37	31.8	64.3	950.4	47	62.4	443.3
38	30.9	65.3	958.5	47.7	62.3	455.5
39	31.1	65.6	958.1	48.1	62.3	452.1

<b>NO.</b>	<b>Cobo</b>	<b>t on</b>	<b>t off</b>	<b>Cobo</b>	<b>t on</b>	<b>t off</b>
<b>LIMITS</b>	x < 45	< 175	< 2500	x < 60	< 150	< 1000
<b>UNIT</b>	pF	ns	ns	pF	ns	ns
40	31.2	64.9	946	49	62.1	435.3
41	-	-	-	-	-	-
42	31.1	64.8	958.2	49.4	61.9	429.8
43	31.1	65.3	946.3	50	62	430.5
44	-	-	-	-	-	-
45	31.9	64.6	945.7	47.3	62.1	450.1
46	31.8	64.4	954	49.6	61.9	433.3
47	30.8	65.1	968.7	49	62.1	439.6
48	31	65.4	955	48.3	62	443
49	31	65.3	954.4	48.3	62.4	445.6
50	33	64.4	919.2	48.5	61.9	431.6
51	31.1	65.4	948.8	48.7	62.4	442.9
52	30.5	65	951.6	48.8	62.1	435.6
53	31	65	955.9	49.5	61.9	429.3
54	30.9	65.3	959.4	48.3	62	442.1
55	32.1	64.7	932.1	50.1	62.2	432.2
56	33	64	930.2	49.5	62	432.7
57	31	64.9	957.5	49.4	62	433.1
58	31.1	64.8	960.5	49.3	61.9	432.9
59	31.2	64.8	955.9	49.3	62	431.3
60	31	65.2	960.3	48.3	62.5	446.3
61	31.4	64.7	957.2	49.2	61.8	429
62	30.8	65.2	960.8	47.5	62.5	453.1
63	31.5	64.8	947.5	49.5	62.1	436.7
64	31.4	64.9	951	49.5	62.2	432.4
65	32.3	64.6	929.9	50	62.2	430.3
66	31.1	64.8	954.5	49.2	62.2	436.2
67	30.9	65.1	962.4	48.2	62.4	452.7
68	31.9	64.7	935.6	49.3	62.2	437.3
69	31.4	64.7	951.1	49.9	62.1	432.3
70	31.1	65	956.5	49.2	62	435.1
71	31.2	65	953.3	47.7	62.3	455.1
72	31	65.2	962.4	49	62.3	439.5
73	30.8	65.4	956.3	48.7	62.3	444.1
74	30.9	65.1	959	49.5	62	433.3
75	31	65.7	954.8	47.9	62	443.6
76	31	65	958.8	49.4	62	432.5
77	-	-	-	-	-	-
78	31	64.8	966.9	48.1	62.4	453.9
79	-	-	-	-	-	-
80	31	65.4	955.6	47.8	61.9	449.1
81	31.1	64.8	959.5	49.3	61.9	429.7
82	31.7	64.6	938.9	47.3	62.1	446.2
83	31	65.3	958.6	48.4	62.5	448.4
84	31	65.1	960.6	48	62.4	454.9
85	31.5	64.8	940.8	49.9	62.1	432.6
86	31	65.3	954.7	48	62.4	456.5

<b>NO.</b>	<b>Cobo</b>	<b>t on</b>	<b>t off</b>	<b>Cobo</b>	<b>t on</b>	<b>t off</b>
<b>LIMITS</b>	x < 45	< 175	< 2500	x < 60	< 150	< 1000
<b>UNIT</b>	pF	ns	ns	pF	ns	ns
87	31.1	65.7	943.1	48.8	62.2	442.3
88	31.1	65.8	950.5	48.9	62.4	443.5
89	31.2	65	955.5	49.5	61.9	431.6
90	30.6	65.4	987.2	47.9	62.5	452.9
91	30.8	65	998.5	47.9	62.7	447.6
92	31	65.6	951.6	47.9	62.3	456.6
93	30.9	65.5	957.3	49.2	62	434.7
94	-	-	-	-	-	-
95	31.1	65.7	946.1	47.2	62.4	453.5
96	32.5	64.5	932.2	47.7	62	454.8
97	31.2	65.8	950.4	48.8	62.2	442.2
98	31	64.8	971	48.4	61.9	439.7
99	31	65.2	959.1	47.6	62.2	448.6
100	31	65	973	47.5	62.3	446.9
101	30.9	65.1	974.6	47.4	62.2	453.8
102	31.4	64.5	958.6	49.7	62	432.2
103	30.9	65.2	970.6	47.3	62.3	453.5
104	31.1	65.5	953.7	48.3	61.8	443.1
105	-	-	-	-	-	-
106	30.9	65.5	957.6	47.8	62.1	449.3
107	31	65.4	960.8	47.7	62	451.6
108	30.6	65.9	976.9	47.8	62.6	453.5
109	31.2	64.9	963.4	49.3	62.1	437.3
110	31.2	64.7	957.7	48.1	62.5	451.9
111	30.6	65.8	974.9	47.9	62.7	450.4
112	30.8	65.4	967.8	47.9	62.9	446.9
113	30.9	65.6	954.2	50.1	62.1	431.8
114	30.9	65.5	963.3	49.9	62.2	433.1
115	31	65.2	963.8	47.6	62.1	437.2
116	-	-	-	-	-	-
117	31	65.5	955.3	48.7	62.2	432.9
118	31	65.6	956.2	48.1	62.6	454.7
119	30.9	65.2	963.9	48	62.4	455.2
120	31	65.6	960.2	48.3	62.4	445.2
121	31	65	966.2	49.1	62.1	436.8
122	31.5	64.6	963.9	49	62.2	438.6
123	31.1	65.4	956.4	49.2	61.9	431.3
124	30.6	65.1	988.9	47.9	62.7	453.4
125						
126						
127						
128						
129						
130						
131						
132						
133						