



# DOCUMENT CHANGE REQUEST

DCR number	500	Changes required for:	General	Originator:	Steve Thacker - ESCC
Date:	2009/04/17	Date sent:	2009/04/17	Organisation:	ESA/ESTEC
Status:	IMPLEMENTED				

Title:	Contacts Coaxial Crimp-type and Solder-Type for 3401/001 and 3401/002 Connectors				
--------	--	--	--	--	--

Number:	3401/004	Issue:	2		
---------	----------	--------	---	--	--

Other documents affected:

3401/040-3

Page:

Table 1(a)  
new figure 2(c)/2(b) (ref DCR316 & DCR317)

Paragraph:

Table 1(a)  
new figure 2(c)/2(b) (ref DCR316 & DCR317)

Original wording:

Proposed wording:

For 3401/040  
A) Table 1(a) Type Variants  
For new Variants 15 & 16 (90deg PCB contacts per DCR316) add a note 1 as follows:

1. Applicable to shell sizes E, A, B and C only.

B) New Figure 2(c) for Straight and 90deg PCB Types (per DCR316)  
Add a note 3 as follows:

3. Variants 15 and 16 are applicable to shell sizes E, A, B and C only.

-----  
For 3401/004  
A) Table 1(a) Type Variants  
For new Variants 23 & 24 (90deg PCB contacts per DCR317) add a note 2 as follows:

2. Applicable to shell sizes E, A, B and C only.



## DOCUMENT CHANGE REQUEST

DCR number            500            Changes required for: General  
Date: 2009/04/17            Date sent: 2009/04/17  
Status: IMPLEMENTED

Originator: Steve Thacker - ESCC  
Organisation: ESA/ESTEC

B) New Figure 2(b) for Straight and 90deg PCB Types (per DCR317)  
Add a note 5 as follows:

5. Variants 23 and 24 are applicable to shell sizes E, A, B and C only.

Justification:

Clarification omitted from DCR316 & DCR317

Attachments:

N/A

Modifications:

The following additional editorial amendments shall be included in DCR500 for both 3401/040 & 3401/004 that were omitted in error from DCR316 & DCR317.

.....

3401/040:

Delete para 1.6

Para. 4.3.1 add reference to ESCC3401/080

Para 4.6.3: delete "(Figure 4)" from title

Table 2: amend characteristic names and symbols

Table 6: amend characteristic symbols

Clarify that Jackscrew Retention & Oversize Pin Exclusion are not applicable.

.....

For 3401/004:

Delete para 1.6

Table 1(b)

Amend characteristic name for No.2

Clarify that the Operating Temperature Range is with a Tamb condition.

Figure 2 Editorial amendments to the drawing titles & notes

Para 2: delete reference to ESCC 20534

Para. 4.3.1 add reference to ESCC3401/080

Para 4.6.3: delete "(Figure 4)" from title

Table 2:

amend characteristic names and symbols (also conditions)

Clarify that Voltage proof limits are minimum.

Table 6: amend characteristic symbols

Clarify that Jackscrew Retention & Oversize Pin Exclusion are not applicable

Approval signature:

A handwritten signature in black ink, appearing to read "R. S. G. H. S. - 9".

Date signed:

2009-04-17