



DOCUMENT CHANGE REQUEST

DCR number 564 Changes required for: General
Date: 2009/12/10 Date sent: 2009/12/10
Status: IMPLEMENTED

Originator: Anastasia Pesce
Organisation:

Title: Component Manufacturer Evaluation

Number: 20200 Issue: 1

Other documents affected:

Page:

All

Paragraph:

All

Original wording:

Proposed wording:

General: Reorganised and rewritten Issue 2 Draft D. ESA/SCC terminology replaced by ESCC with appropriate references to the ESC Executive and the ESCC Certification Body. Editorial changes to improve the readability of the specification plus the following content changes:

Para. 1 Purpose

Add Technology Flow

Remove the last sentence and replace it with the addition of a new Para. 2 Scope.

The Scope to indicate that the specification gives the requirements a manufacturer has to meet to be successfully evaluated, the methodology used and ESCC auditing as a tool, noting that the audit methodology is applicable to any ESCC audit and not restricted to audits associated with evaluation.

Para. 2 Applicable Documents

Replace by Related Documents with sub-paras for Applicable and Reference documents.

Update the title of 24600

Add 25400 to applicable documents for Technology Flow.

Update the ISO Standards and indicate they are reference documents.



DOCUMENT CHANGE REQUEST

DCR number 564

Changes required for: General

Originator: Anastasia Pesce

Date: 2009/12/10

Date sent: 2009/12/10

Organisation:

Status: IMPLEMENTED

Para. 3 Terms and Definitions

Retitle and use sub-paras for definitions and abbreviations. Add the necessary abbreviations.

Para. 6 Requirements on a Manufacturer

Move the additional statements into Notes and add an additional note to clarify that the QMS is based on 9001 but does not require a third party certification as a prerequisite.

Para. 7.1 Audit Team

Remove reference to Lead Auditor, clarify that for an audit by a single auditor he/she is de facto the audit team leader, allow for technical experts to provide support. Update the ISO reference. Add a new paragraph for audit observers with appropriate restrictions on their role. Replace the term Lead Auditor by Audit Team Leader in all subsequent paragraphs.

Para. 7.2 Audit Preparation

Reorganise the clauses adding content for scope and objectives and acceptance of observers.

Para. 7.3 Audit Conduct

Add a combined audit (quality system and manufacturing line).

Add the constraint of "within the audit scope" for Findings and Observations.

Add the agreement of a time frame for the audit report and corrective action plan to the requirements for the closing meeting.

Para. 7.4 Audit Reporting

Reorganise the clauses to better reflect the current practice and sequence of items in ESCC audit reports.

Add the ESCC statement of confidentiality as a sub-para. and remove the corresponding Appendix C.

Appendices A and B

Remove the content and place current implementations of the questionnaire and statement of readiness in ESCIES.

Justification:

Para. 1 Purpose

Technology Flow - the specification is applicable to all forms of ESCC qualification.

The information is sufficient to justify a scope and to align the structure to the adopted default for all Basics (Simple purpose



DOCUMENT CHANGE REQUEST

DCR number 564 Changes required for: General

Date: 2009/12/10

Date sent: 2009/12/10

Originator: Anastasia Pesce

Organisation:

Status: IMPLEMENTED

and where necessary expansion of the purpose via a scope.)

An ESCC audit may be associated, for example, with MOQ or an NRB action. The audit methodology is the same so ESCC 20200 will be equally applicable.

Para. 2 Applicable Documents

Alignment of the structure to the adopted default for all Basics. Updated content resultant from ESCC and ISO changes to the pertinent specifications and standards.

Para. 3 Terms and Definitions

Alignment of the structure to the adopted default for all Basics.

Para. 6 Requirements on a Manufacturer

Clarification re applicability of ISO 9001. Avoidance of any ambiguity over the necessity for an existing third party certification. While such certification is desirable it has no impact on an ESCC audit. ISO certification does not necessarily provide the level of detail required for the baseline on which the prescriptions of ESCC 24600 are built nor their application to a Space line. Equally the ESCC Audit ignores all aspects of the business which are unrelated to the management and control of the space product.

Para. 7.1 Audit Team

Lead Auditor is not a required term and inadvisable due to more general training and certification connotations. Audit team leader is the appointed role and sufficient for the purposes of this specification. If an audit team leader needs to be a "lead auditor" this is for the ESCC Executive internal working procedures.

If an ESCC audit is performed by a single auditor he/she must fulfil the tasks of the audit team leader so de facto is the team leader. This statement is primarily introduced to make the rest of the specification read correctly in the case of an audit conducted by a single ESCC auditor.

Addition of technical experts and audit observers is for increased alignment with the ISO standard and organisational flexibility.

Para. 7.2 Audit Preparation

Changes are for clarity and completeness. Essentially there are no new items added, audit scope and objectives were implicit. Acceptance of observers follows on from their introduction as a change affecting Para. 7.1.

Para. 7.3 Audit Conduct



DOCUMENT CHANGE REQUEST

DCR number 564

Changes required for: General

Originator: Anastasia Pesce

Date: 2009/12/10

Date sent: 2009/12/10

Organisation:

Status: IMPLEMENTED

A combined audit (quality system and manufacturing line) added for completeness.

The constraint of "within the audit scope" for Findings and Observations is to avoid excessive digression and indicate that an ESCC audit is a focused activity.

The time frame for the audit report and corrective action plan is agreed in practice in the closing meeting.

Para. 7.4 Audit Reporting

Changes are editorial.

Appendices A and B

ESCC Executive policy is to decouple tools from requirements. This better enables the maintenance, development and dissemination of forms and questionnaires etc. and avoids potential errors due to repetition of information in specifications and in practical on line versions.

Attachments:

20200_2D.pdf, null

Modifications:

Approved by PSWG 42

Approval signature:

Date signed:

2009-12-10



Pages 1 to 12

**COMPONENT MANUFACTURER
EVALUATION**

ESCC Basic Specification No. 20200

Issue 2 - DRAFT D	
-------------------	--



Document Custodian: European Space Agency - see <https://escies.org>

LEGAL DISCLAIMER AND COPYRIGHT

European Space Agency, Copyright © 2009. All rights reserved.

The European Space Agency disclaims any liability or responsibility, to any person or entity, with respect to any loss or damage caused, or alleged to be caused, directly or indirectly by the use and application of this ESCC publication.

This publication, without the prior permission of the European Space Agency and provided that it is not used for a commercial purpose, may be:

- copied in whole, in any medium, without alteration or modification.
- copied in part, in any medium, provided that the ESCC document identification, comprising the ESCC symbol, document number and document issue, is removed.

DOCUMENTATION CHANGE NOTICE

(Refer to <https://escies.org> for ESCC DCR content)

DCR No.	CHANGE DESCRIPTION
477, 564	Specification upissued to incorporate Policy and editorial changes per DCRs.

TABLE OF CONTENTS

<u>1.</u>	<u>PURPOSE</u>	<u>5</u>
<u>2.</u>	<u>SCOPE</u>	<u>5</u>
<u>3.</u>	<u>RELATED DOCUMENTS</u>	<u>5</u>
3.1	Applicable Documents	5
3.2	Reference Documents	5
<u>4.</u>	<u>TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS</u>	<u>6</u>
4.1	Definitions	6
4.2	Abbreviations	6
<u>5.</u>	<u>INTRODUCTION</u>	<u>6</u>
<u>6.</u>	<u>ACCESS AND PROPRIETARY INFORMATION</u>	<u>7</u>
<u>7.</u>	<u>REQUIREMENTS ON A MANUFACTURER</u>	<u>7</u>
<u>8.</u>	<u>EVALUATION PROCEDURE</u>	<u>7</u>
8.1	Flow Chart	8
8.2	Audit Team	9
8.3	Audit Observers	9
8.4	Audit Preparation	9
8.5	Audit Conduct	10
8.6	Audit Reporting	10
8.6.1	Statement of Confidentiality	10
8.7	Corrective Actions	11
8.8	Audit Records	11
<u>9.</u>	<u>ADDITIONAL DOCUMENTATION</u>	<u>11</u>
9.1	Ancillary Specifications	11
9.2	Forms and Templates	12

1. **PURPOSE**

The purpose of this specification is to define the requirements for an evaluation of a Manufacturer of electrical, electronic, or electromechanical (EEE) components as part of the Evaluation Phase of either an ESCC Qualification in accordance with ESCC 20100, or an ESCC Capability Approval in accordance with ESCC 24300, or an ESCC Technology Flow Qualification in accordance with ESCC 25400.

2. **SCOPE**

This specification provides:

- the requirements a manufacturer has to fulfil in order to be successfully evaluated;
- the outline of the evaluation methodology to be followed;
- the description of the ESCC auditing methodology employed as the major evaluation tool.

(The ESCC auditing methodology described is equally applicable to ESCC audits performed outside the scope of an Evaluation Phase.)

3. **RELATED DOCUMENTS**

3.1 **APPLICABLE DOCUMENTS**

The following ESCC Specifications form part of, and shall be read in conjunction with, this specification. The relevant issues shall be those in effect on the date of commencement of the evaluation of the Manufacturer.

ESCC 20100	Requirements for Qualification of Standard Electronic Components for Space Application.
ESCC 21300	Terms, Definitions, Abbreviations, Symbols and Units.
ESCC 22600	Requirements for the Evaluation of Standard Electronic Components for Space Application.
ESCC 22700	Requirements and Guidelines for the Process Identification Document.
ESCC 24300	Requirements for the Capability Approval of Electronic Component Technologies for Space Application.
ESCC 24600	Minimum Quality Management System Requirements.
ESCC 25400	Requirements for the Technology Flow Qualification of Electronic Components for Space Application

The applicable Checklists (Basic Specifications) can be found listed in section 9.

3.2 **REFERENCE DOCUMENTS**

The following International Standards are applicable to the extent specified herein. The relevant issues shall be those in effect on the date of commencement of the evaluation of the Manufacturer.

ISO 9000	Quality management systems - Fundamentals and vocabulary
ISO 9001	Quality management systems - Requirements
ISO 19011	Guidelines for quality and/or environmental management systems auditing

4. **TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS**

4.1 **DEFINITIONS**

For the purposes of this specification, the terms and definitions defined in ESCC 21300 and ISO 9000 shall apply. In addition, the following shall apply:

Quality System Audit	A systematic review to determine whether quality activities and related results comply with the planned arrangements and whether these arrangements are implemented effectively and are suitable to achieve the Manufacturer's declared quality objectives as well as the minimum quality management system requirements of ESCC 24600.
Manufacturing Line Audit	A systematic review of the manufacturing line on which ESCC components are, or are to be, manufactured in accordance with a PID fulfilling the requirements of ESCC 22700. To thus determine whether manufacturing arrangements, quality activities and related results comply with the planned arrangements and whether these arrangements are implemented effectively and are suitable to achieve the Manufacturer's declared objectives.
Questionnaire	A set of questions on a form, submitted to a manufacturer in order to allow the manufacturer to check and declare his conformance with a given quality management system model.
Checklist	A list of items to be referred to and to be verified in order to establish conformance with given requirements.
Finding	Objective evidence that a control feature of the quality programme or manufacturing process is not implemented in accordance with internal or ESCC requirements.
Observation	An observed control feature of the quality programme or manufacturing process which is a cause for concern. A condition that may become a "Finding".
Comment	A comment to an observed control feature of the quality programme or manufacturing process which is neither a Finding nor an Observation.

4.2 **ABBREVIATIONS**

EEE	Electrical, Electronic and Electro-mechanical
ESCC	European Space Components Coordination
ESCIES	European Space Components Information Exchange System
Executive	ESCC Executive
PID	Process Identification Document

5. **INTRODUCTION**

The purpose of the evaluation of a Manufacturer is to assess the capability and the adequacy of the organisation, plant and facilities and to ascertain the Manufacturer's ability to supply EEE components to the appropriate ESCC specifications.

The Manufacturer Evaluation is managed by the Executive. The main assessment comprises one or more formal audits conducted by an ESCC audit team appointed by the Executive Manager.

ESA, as the ESCC Certification Body, has acceptance responsibility for the final results of the overall ESCC Evaluation Phase which is comprised of the Manufacturer Evaluation and the Component Evaluation.

6. **ACCESS AND PROPRIETARY INFORMATION**

The Manufacturer shall allow the ESCC audit team access to all appropriate working areas and provide access to personnel and facilities sufficient for the accomplishment of the evaluation.

The ESCC audit team and in turn the Executive and ESA are responsible for ensuring that all proprietary information obtained in the course of the evaluation is not disclosed to any other party without the express written permission of the Manufacturer. Reports arising from the evaluation shall be treated as strictly confidential between the manufacturer, the Executive and ESA. (It should be noted that the Executive and hence the ESCC audit team is provided for by resources drawn from both ESA and national space agencies.)

7. **REQUIREMENTS ON A MANUFACTURER**

For a successful evaluation the Manufacturer is required to be able to demonstrate conformance to the ESCC requirements:

- For a quality management system the Manufacturer must meet the requirements of ESCC 24600 and the applicable specifications referenced therein.
- For the manufacturing line the Manufacturer must apply the appropriate quality management system requirements to the line and be able to demonstrate a systematic ability to manufacture the required ESCC components in accordance with an approved PID to the requirements of the applicable ESCC Generic and Detail specifications.

NOTES:


1. ESCC 24600 presupposes a quality management system based on ISO 9001. Third party certification to ISO 9001 is not a prerequisite.
2. The Manufacturer must achieve such conformance within the Evaluation Phase of an ESCC qualification, capability approval, or technology flow qualification.
3. At the outset of an Evaluation Phase, the Manufacturer is required to make a self assessment of the degree of existing conformance and to initiate appropriate measures to achieve total conformance.

8. **EVALUATION PROCEDURE**

The evaluation procedure is illustrated in the flow chart of Para. 8.1. It comprises the gathering of background information, the establishment of a degree of readiness and the performance of one or more audits of the quality management system and manufacturing line.

In addition to the procedural details defined herein, an audit shall be performed generally in accordance with the guidelines of ISO 19011.

8.1 FLOW CHART



8.2 AUDIT TEAM

An ESCC audit team will be established by the Executive Manager consisting of one or more auditors supported, where necessary, by technical experts. An Audit Team Leader will be appointed. (A single auditor is de facto the Audit Team Leader.) The Audit Team Leader is responsible for the planning, execution, reporting and closeout of the audit.

The selection of auditors, the team leader and technical experts and the establishment of their respective roles and responsibilities shall generally comply with the guidelines of ISO Publication No. 19011.

8.3 AUDIT OBSERVERS

When deemed to be appropriate in the frame of an ESCC Evaluation, audit observers may be proposed, either by the ESCC Executive, or by the Manufacturer:

- An observer shall be present only if agreed to by the party to whom they are proposed.
- An observer shall be bound by the same requirements for confidentiality as agreed between the ESCC Executive and the Manufacturer.
- An observer may not participate in or influence the conduct of the audit.
- An observer shall only be in receipt of the audit report and any subsequent correspondence leading up to audit close out with the mutual agreement of the ESCC Executive and the Manufacturer.

8.4 AUDIT PREPARATION

The Audit Team Leader shall plan the audit with the Manufacturer by appropriate communications and meetings to achieve the following objectives:

- An agreed audit plan with audit dates. The plan is to include audit scope and objectives, provision for opening and closing meetings, a schedule indicating the main topics to be audited and the assignment of auditors to audit tasks. The plan shall also define the working language for the performance of the audit.
- Review by the auditors of appropriate Manufacturer documentation (e.g. quality manual, PID, previous audit reports etc.) prior to the audit.
- Acceptance by the Audit Team Leader of any declared shortcomings or non-conformances from the Manufacturer prior to the audit in so far as they affect the utility and timing of the audit. (An audit shall be postponed when known shortcomings are too numerous or of a critical nature.)
- Identification of the Manufacturer's key personnel to host the audit.
- Acceptance by the Manufacturer of the ESCC audit team personnel.
- Identification and mutual acceptance of any person proposed to observe the audit.
- Completion of the Audit Questionnaire (available on the ESCIES web site) by the Manufacturer and its review by the auditors prior to the audit.
- Submission by the Manufacturer of the Statement of Readiness (available on the ESCIES web site) prior to the audit.

The Manufacturer shall plan appropriately for the audit so as to ensure that:

- A review of the ESCC requirements has been completed and any significant known areas of non-compliance are identified in conjunction with the submission of the Statement of Readiness.
- The facilities and areas to be audited will be appropriately operational with a normal complement of personnel and accessible by the auditors against the agreed audit schedule.
- An appropriate meeting room is available to the audit team for the opening and closing meetings as well as for review of documents and for any closed audit team discussions.
- The Chief Inspector or other designated management personnel are available for the closing meeting to receive the summary of the audit results.

8.5 AUDIT CONDUCT

The audit, whether a quality management system, or a manufacturing line, or a combined audit, shall be conducted in the following manner:

- An opening meeting to introduce the audit team and audit hosts, to confirm the audit plan, to outline the purpose and scope of the audit and to agree any changes to the audit schedule or other practical details.
- Performance of the audit with the aid of the appropriate ESCC Checklist by review of documentation and records, observation of work and inspection practices and by the questioning of appropriate personnel. All concerns, whether Findings or Observations, within the audit scope, shall be communicated verbally at the time to the audit host and/or the supervisory staff for the function concerned.
- On completion of the audit activities the audit team shall meet in closed session to prepare an executive summary of the audit results. This summary shall identify the major areas of concern arising from the audit.
- A closing meeting to present the executive summary of the audit results to the Manufacturer and to agree a time scale for the completion of the audit report and the subsequent generation, if required, of a corrective action plan.

8.6 AUDIT REPORTING

The Audit Team Leader is responsible for the preparation and distribution of an audit report, in English, reflecting the results obtained by the audit team. The report shall include inter alia and generally in the following sequence:

- A distribution list, agreed with the Manufacturer, to include the audit team members, the Manufacturer's Chief Inspector or other designated person or persons, and the responsible Executive personnel managing the controlling activity.
- A statement of confidentiality.
- Identification of the main audit participants, i.e. the hosts and the Audit Team Leader and team members.
- A list of the principle reference documents (Quality Manual, PID etc.).
- The purpose and scope of the audit.
- The definitions of Finding, Observation and Comment.
- A sequential listing of all Findings, Observations and Comments. Where applicable, precise objective evidence shall be recorded together with references to the applicable requirement(s) and relevant document(s).
- An executive summary giving the main concerns and whether the audit was satisfactory or unsatisfactory. In general any Finding equates to an "unsatisfactory audit" and initiates a corresponding requirement for corrective action.
- A recommendation, with reference to the purpose of the audit, as to whether the audit results may affect the Manufacturer's ability to properly continue the overall activity, e.g. the Evaluation Phase, until appropriate corrective actions are completed.
- When necessary, a request for a corrective action plan addressing Findings and Observations.
- Acknowledgements.
- Appendices to include relevant details of the audit planning/execution and the Statement of Readiness. Where useful, a completed checklist shall also be appended.

The audit report shall be submitted within a period agreed between the Manufacturer and the Audit Team Leader.

8.6.1 Statement of Confidentiality

The statement of confidentiality to be included in an ESCC Audit Report shall state that:

This ESCC audit report is considered to be confidential between the ESCC Executive, as represented in the audit by staff from (ESA and/or, where applicable, a national space agency), and (the Manufacturer). Its contents shall not be divulged to any other party without written consent by both parties. The report may be tabled by the Executive to the Certification Body, ESA, in the event that this is requested during the review of any application for qualification or qualification maintenance and corresponding ESCC QPL/QML listing.

8.7 CORRECTIVE ACTIONS

When requested to do so, the Manufacturer shall prepare and submit a corrective action plan within an agreed period from receipt of the audit report. The plan shall address each Finding with one or more corrective actions and shall discuss each Observation with corrective actions where appropriate. The plan shall identify responsible personnel and set due dates for each action. The Audit Team Leader shall review the corrective action plan and accept it when it is considered to adequately address the audit results.

The Audit Team Leader is responsible for the monitoring of the close out of the corrective actions. Verification may appropriately be achieved by communications, review of revised documents, specific meetings or by a re-audit. On successful completion of the corrective action plan the Audit Team Leader shall provide the Manufacturer with a notification of the audit close out.

8.8 AUDIT RECORDS

The Audit Team Leader is responsible for the delivery to the Executive Manager of an audit file on close out of the audit. The audit file is to contain, as a minimum:

- The audit report.
- The corrective action plan.
- Evidence of close out of the individual actions.
- Copies of appropriate correspondence.
- The formal notification of audit close out provided to the manufacturer.

9. ADDITIONAL DOCUMENTATION

9.1 ANCILLARY SPECIFICATIONS

The following supplementary specifications have been issued:

2023000	Checklist for Capacitors Manufacturer and Line Survey.
2023102	Checklist for Waveguide Devices Manufacturer and Line Survey.
2023400	Checklist for Connectors Manufacturer and Line Survey.
2023501	Checklist for Quartz Crystals Manufacturer and Line Survey.
2023502	Checklist for Surface Acoustic Wave (SAW) Devices Manufacturer and Line Survey.
2023600	Checklist for Relays Manufacturer and Line Survey.
2024000	Checklist for Resistors Manufacturer and Line Survey.
2025000	Checklist for Semiconductors Manufacturer and Line Survey.
2029000	Checklist for Monolithic Microcircuit Manufacturer and Line Survey.

NOTES:

1. For Photosensitive Charge Coupled Devices and Active Pixel Sensors with Hermetic and Non-Hermetic Packages (ESCC Generic Specification No. 9020), no individual ancillary specification exists (i.e. Manufacturer evaluation Checklist). ESCC 2029000 should be used to the extent applicable.

9.2

FORMS AND TEMPLATES

Inter alia, the following can be found in the ESCC Forms section of ESCIES (<https://escies.org>):

- Audit Questionnaire
- Statement of Readiness