



DOCUMENT CHANGE REQUEST

DCR number 845 Changes required for: General

Originator: Bertrand Marty

Date: 2014/10/06

Date sent: 2014/02/27

Organisation: CNES

Status: IMPLEMENTED

Title: RF Inductors Fixed Miniature Moulded SMD, based on series MSC1 10K and MSC1 12K

Number: 3201/008

Issue: 5

Other documents affected:

Page:

6

Paragraph:

3. Range of components 10K series

Original wording:

In column (7) Max. DC resistance

line :

- 1L0K (1000 nH)
- 1L2K (1200 nH)
- 2200 nH (2L2K),
- 1800 nH (1LK8)
- 10000 nH (100K).

Proposed wording:

Change Value :

- 1000 nH (1L0K) : 0.34 Ohm instead of de 0.320 Ohm
- 1200 nH (1L2K) : 0.55 Ohm instead of 0.4 Ohm,
- 1500 nH (1L5K) : 0.73 Ohm instead of 0.56 Ohm,
- 1800 nH (1LK8) : 0.92 Ohm instead of 0.91 Ohm,
- 10000 nH (100K) : 2.8 Ohm instead of 3.3 Ohm.

Justification:

This evolution of values are to reduce the value of RDC max for best detection of problems and non conformity.

Attachments:

modifications_to_dcr845.docx, msci__rdc_max__issue_2(2).xls

Modifications:

The original contents and attachment of this DCR845 are replaced with the following in order to clarify the exact changes requested by Microspire:

Original Wording Section: replace with the following:

See ESCC3201/008 issue 5, Page 6 & 7, Table 1a – Range of Components - 10k Series, column 7: Max DC Resistance Rdc (ohm)(see also original 'was' value in the list/table in the attached file).

Proposed Wording Section: replace with the following:

Table 1a – Range of Components - 10k Series, column 7: Max DC Resistance Rdc (ohm). Amend the Rdc limits in column 7 for all items in the 10K series to be in accordance with the following list/table in the attached file.

See new attachment for details of required changes.

Approval signature:



Date signed:

2014-10-06